

protocol_19

Table of contents

1	Protocol Parameters	1
2	Conditions	1
3	Pattern Previews	2
3.0.1	Pattern 4	2
3.0.2	Pattern 9	2
3.0.3	Pattern 17	2
3.0.4	Pattern 19	2
3.0.5	Pattern 20	2
3.0.6	Pattern 24	3

Protocol_19.m - based on protocol 10 - but includes the ‘curtain’ ON / OFF stimuli and the 2ON 14OFF stimuli.

1 Protocol Parameters

Parameter	Value
Conditions	12
Patterns Used	6
t_acclim	20s
t_pause	0.015

2 Conditions

#	Pattern	Speed	Duration	Description
1	Pattern 9	10	-s	grating - 60 deg
2	Pattern 9	10	-s	
3	Pattern 4	10	-s	grating - 15 deg - - 3
4	Pattern 4	10	-s	- - 4
5	Pattern 19	10	-s	ON curtain - - 5
6	Pattern 19	10	-s	- - 6
7	Pattern 20	10	-s	OFF curtain - - 7
8	Pattern 20	10	-s	- - 8
9	Pattern 17	10	-s	2ON 14OFF grating - - 9
10	Pattern 17	10	-s	- - 10
11	Pattern 24	10	-s	2OFF 14ON grating - - 11
12	Pattern 24	10	-s	- - 12

3 Pattern Previews

3.0.1 [Pattern 4](#)



3.0.2 [Pattern 9](#)



3.0.3 [Pattern 17](#)



3.0.4 [Pattern 19](#)



3.0.5 [Pattern 20](#)



3.0.6 Pattern 24

